

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2004
Asbury Park Residents

| 1. Current HIV/AIDS Category | Adult/Adolescent * | | Pediatric * | | Total | |
|------------------------------|--------------------|-----|-------------|-----|-------|-----|
| | Cases | % | Cases | % | Cases | % |
| ----- | ---- | --- | ---- | --- | ---- | --- |
| AIDS-Any OI | # | # | # | # | 47 | 13 |
| AIDS-CD4 Only | # | # | # | # | 125 | 34 |
| HIV Only | 185 | 52 | 9 | 69 | 194 | 53 |
| ----- | ---- | --- | ---- | --- | ---- | --- |
| Total | 353 | 100 | 13 | 100 | 366 | 100 |

| 2. Current Age * | | | 3. Race/Eth. | Adult/Adl* | | Pediatric* | | Total | |
|------------------|------|-----|---------------------|------------|-----|------------|-----|-------|-----|
| Cases | % | | | Cases | % | Cases | % | Cases | % |
| ----- | ---- | --- | ----- | ---- | --- | ---- | --- | ---- | --- |
| <5 | 0 | 0 | White, Not Hispanic | # | # | # | # | 62 | 17 |
| 5-12 | 13 | 4 | Black, Not Hispanic | # | # | # | # | 260 | 71 |
| 13-19 | 7 | 2 | Hispanic | 39 | 11 | 0 | 0 | 39 | 11 |
| 20-29 | 16 | 4 | Other/Unknown | 5 | 1 | 0 | 0 | 5 | 1 |
| 30-39 | 100 | 27 | ----- | ---- | --- | ---- | --- | ---- | --- |
| 40-49 | 145 | 40 | Total | 353 | 100 | 13 | 100 | 366 | 100 |
| 50+ | 85 | 23 | | | | | | | |
| Unk. | 0 | 0 | | | | | | | |
| ----- | ---- | --- | | | | | | | |
| Total | 366 | 100 | | | | | | | |

| 4. Patient Group | Adult/Adolescent Transmission Modes ** | | | | | |
|----------------------------|--|-----|---------|-----|-------|-----|
| | Males | % | Females | % | Total | % |
| ----- | ---- | --- | ---- | --- | ---- | --- |
| Men sex with men (MSM) | 66 | 35 | 0 | 0 | 66 | 19 |
| Injection drug user (IDU) | 61 | 32 | 64 | 40 | 125 | 36 |
| MSM/IDU | 12 | 6 | 0 | 0 | 12 | 3 |
| Heterosexual contact | 34 | 18 | 76 | 48 | 110 | 32 |
| Risk not reported/other*** | 16 | 8 | 20 | 13 | 36 | 10 |
| ----- | ---- | --- | ---- | --- | ---- | --- |
| Total | 189 | 100 | 160 | 100 | 349 | 100 |

| | Pediatric Transmission Modes | | | | | |
|-----------------------------|------------------------------|-----|---------|-----|-------|-----|
| | Males | % | Females | % | Total | % |
| ----- | ---- | --- | ---- | --- | ---- | --- |
| Parent at risk/has AIDS/HIV | 7 | 100 | 10 | 100 | 17 | 100 |
| Risk not reported/other*** | 0 | 0 | 0 | 0 | 0 | 0 |
| ----- | ---- | --- | ---- | --- | ---- | --- |
| Total | 7 | 100 | 10 | 100 | 17 | 100 |

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2004.

** 4 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Asbury Park Residents

| 1. Disease Category | Adult/Adolescent* | | Deaths (%) | Pediatric* | | Deaths (%) | Total | |
|---------------------|-------------------|-------|------------|------------|-------|------------|-------|-------|
| | Cases | (%) | | Cases | (%) | | Cases | (%) |
| PCP | 118 | (25) | 100 (85) | 7 | (44) | 5 (83) | 125 | (25) |
| Other OI w/o PCP | # | (#) | # (#) | # | (#) | # (#) | # | (#) |
| KS Alone | # | (#) | # (#) | # | (#) | # (#) | # | (#) |
| No Disease Listed | 241 | (51) | 116 (49) | 0 | (0) | 0 (.) | 241 | (49) |
| Total | 476 | (100) | 310 (66) | 16 | (100) | 10 (67) | 492 | (100) |

| 2. Age * | Cases | | 3. Race/Eth. | Adult/Adl* | | Pediatric* | | Total | |
|----------|-------|-----|---------------------|------------|-----|------------|-----|-------|-----|
| | Cases | % | | Cases | % | Cases | % | Cases | % |
| Under 5 | 14 | 3 | White, Not Hispanic | # | # | # | # | 106 | 22 |
| 5-12 | # | # | Black, Not Hispanic | 332 | 70 | 15 | 94 | 347 | 71 |
| 13-19 | # | # | Hispanic | 37 | 8 | 0 | 0 | 37 | 8 |
| 20-29 | 74 | 15 | Other/Unknown | # | # | # | # | # | # |
| 30-39 | 204 | 41 | ----- | ----- | --- | ----- | --- | ----- | --- |
| 40-49 | 136 | 28 | Total | 476 | 100 | 16 | 100 | 492 | 100 |
| Over 49 | 57 | 12 | | | | | | | |
| Unknown | 0 | 0 | | | | | | | |
| Total | 492 | 100 | | | | | | | |

| 4. Patient Group | Adult/Adolescent Transmission Modes ** | | | | | |
|----------------------------|--|-----|---------|-----|-------|-----|
| | Males | % | Females | % | Total | % |
| Men sex with men (MSM) | 92 | 32 | 0 | 0 | 92 | 19 |
| Injection drug user (IDU) | 119 | 42 | 101 | 53 | 220 | 46 |
| MSM/IDU | 20 | 7 | 0 | 0 | 20 | 4 |
| Heterosexual contact | 34 | 12 | 75 | 39 | 109 | 23 |
| Risk not reported/other*** | 19 | 7 | 15 | 8 | 34 | 7 |
| Total | 284 | 100 | 191 | 100 | 475 | 100 |

| | Pediatric Transmission Modes | | | | | |
|-----------------------------|------------------------------|-----|---------|-----|-------|-----|
| | Males | % | Females | % | Total | % |
| Parent at risk/has AIDS/HIV | 10 | 100 | 7 | 100 | 17 | 100 |
| Risk not reported/other*** | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 10 | 100 | 7 | 100 | 17 | 100 |

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 1 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Asbury Park Residents

5. AIDS Cases by Year of Diagnosis.

| Year of Diagnosis ----- | Number of Cases ----- | Number of Deaths ----- | Case-Fatality Rate ----- |
|-------------------------------|-----------------------------|------------------------------|--------------------------------|
| Before 1985 | # | # | # |
| 1985 | # | # | # |
| 1986 | # | # | # |
| 1987 | 11 | 11 | 100% |
| 1988 | 19 | 19 | 100% |
| 1989 | 40 | 34 | 85% |
| 1990 | 35 | 34 | 97% |
| 1991 | 27 | 24 | 89% |
| 1992 | 38 | 30 | 79% |
| 1993 | 56 | 49 | 88% |
| 1994 | 50 | 34 | 68% |
| 1995 | 41 | 24 | 59% |
| 1996 | 37 | 18 | 49% |
| 1997 | 26 | 13 | 50% |
| 1998 | 22 | 6 | 27% |
| 1999 | 18 | 5 | 28% |
| 2000 | 26 | 5 | 19% |
| 2001 | 17 | # | # |
| 2002 | 10 | # | # |
| 2003 | 8 | 0 | 0% |
| 2004 | # | # | # |
| ----- | ----- | ----- | ----- |
| Total | 492 | 320 | 65% |

New Jersey Division of HIV/AIDS Services
HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004
Asbury Park Residents

| 1. Age * | Cases % | | 2. Race/Ethnicity | Adult/Adl* Cases % | | Pediatric* Cases % | | Total Cases % | |
|----------|---------|-----|---------------------|-----------------------|-----|-----------------------|-----|------------------|-----|
| | ----- | --- | | ----- | --- | ----- | --- | ----- | --- |
| Under 5 | 11 | 5 | White, Not Hispanic | # | # | # | # | 30 | 13 |
| 5-12 | 0 | 0 | Black, Not Hispanic | 166 | 76 | 10 | 91 | 176 | 77 |
| 13-19 | 6 | 3 | Hispanic | 20 | 9 | 0 | 0 | 20 | 9 |
| 20-29 | 58 | 25 | Other/Unknown | # | # | # | # | # | # |
| 30-39 | 72 | 31 | ----- | ----- | --- | ----- | --- | ----- | --- |
| 40-49 | 59 | 26 | Total | 219 | 100 | 11 | 100 | 230 | 100 |
| Over 49 | 24 | 10 | | | | | | | |
| Unknown | 0 | 0 | | | | | | | |
| ----- | ----- | --- | | | | | | | |
| Total | 230 | 100 | | | | | | | |

| 3. Patient Group | Adult/Adolescent Transmission Modes ** | | | | | |
|----------------------------|--|-----|---------|-----|-------|-----|
| | Males | % | Females | % | Total | % |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Men sex with men (MSM) | 43 | 34 | 0 | 0 | 43 | 20 |
| Injection drug user (IDU) | 46 | 36 | 34 | 37 | 80 | 37 |
| MSM/IDU | # | # | 0 | 0 | # | # |
| Heterosexual contact | # | # | # | # | # | # |
| Risk not reported/other*** | 15 | 12 | 14 | 15 | 29 | 13 |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Total | 128 | 100 | 91 | 100 | 219 | 100 |

| | Pediatric Transmission Modes | | | | | |
|-----------------------------|------------------------------|-----|---------|-----|-------|-----|
| | Males | % | Females | % | Total | % |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Parent at risk/has AIDS/HIV | # | # | # | # | 11 | 100 |
| Risk not reported/other*** | 0 | 0 | 0 | 0 | 0 | 0 |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Total | # | # | # | # | 11 | 100 |

* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
Asbury Park Residents

| 1. Current HIV/AIDS Category | Adult/Adolescent * | | Pediatric * | | Total | |
|------------------------------|--------------------|-----|-------------|-----|-------|-----|
| | Cases | % | Cases | % | Cases | % |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| AIDS-Any OI | # | # | # | # | 251 | 35 |
| AIDS-CD4 Only | # | # | # | # | 241 | 33 |
| HIV Only | 219 | 32 | 11 | 39 | 230 | 32 |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Total | 694 | 100 | 28 | 100 | 722 | 100 |

| 2. Age * | Cases | % | 3. Race/Eth. | Adult/Adl* | | Pediatric* | | Total | |
|----------|-------|-----|---------------------|------------|-----|------------|-----|-------|-----|
| ----- | ----- | --- | ----- | Cases | % | Cases | % | Cases | % |
| Under 5 | # | # | White, Not Hispanic | # | # | # | # | 136 | 19 |
| 5-12 | # | # | Black, Not Hispanic | # | # | # | # | 523 | 72 |
| 13-19 | 12 | 2 | Hispanic | 57 | 8 | 0 | 0 | 57 | 8 |
| 20-29 | 151 | 21 | Other/Unknown | 6 | 1 | 0 | 0 | 6 | 1 |
| 30-39 | 282 | 39 | ----- | ----- | --- | ----- | --- | ----- | --- |
| 40-49 | 170 | 24 | Total | 694 | 100 | 28 | 100 | 722 | 100 |
| Over 49 | 79 | 11 | | | | | | | |
| Unknown | 0 | 0 | | | | | | | |
| ----- | ----- | --- | | | | | | | |
| Total | 722 | 100 | | | | | | | |

| 4. Patient Group | Adult/Adolescent Transmission Modes ** | | | | | |
|----------------------------|--|-----|---------|-----|-------|-----|
| | Males | % | Females | % | Total | % |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Men sex with men (MSM) | 135 | 33 | 0 | 0 | 135 | 19 |
| Injection drug user (IDU) | 165 | 40 | 135 | 48 | 300 | 43 |
| MSM/IDU | 24 | 6 | 0 | 0 | 24 | 3 |
| Heterosexual contact | 54 | 13 | 118 | 42 | 172 | 25 |
| Risk not reported/other*** | 34 | 8 | 29 | 10 | 63 | 9 |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Total | 412 | 100 | 282 | 100 | 694 | 100 |

| | Pediatric Transmission Modes | | | | | |
|-----------------------------|------------------------------|-----|---------|-----|-------|-----|
| | Males | % | Females | % | Total | % |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Parent at risk/has AIDS/HIV | 14 | 100 | 14 | 100 | 28 | 100 |
| Risk not reported/other*** | 0 | 0 | 0 | 0 | 0 | 0 |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Total | 14 | 100 | 14 | 100 | 28 | 100 |

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification at time of first HIV+/AIDS diagnosis.

** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
Asbury Park Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

| Year of First HIV/AIDS Diagnosis | Number of Cases | Number Known Dead | Case-Fatality Rate |
|-------------------------------------|--------------------|----------------------|-----------------------|
| ----- | ----- | ----- | ----- |
| Before 1985 | # | # | # |
| 1985 | 7 | 5 | 71% |
| 1986 | 12 | 11 | 92% |
| 1987 | 23 | 17 | 74% |
| 1988 | 30 | 27 | 90% |
| 1989 | 57 | 42 | 74% |
| 1990 | 46 | 39 | 85% |
| 1991 | 46 | 32 | 70% |
| 1992 | 71 | 39 | 55% |
| 1993 | 64 | 39 | 61% |
| 1994 | 76 | 33 | 43% |
| 1995 | 43 | 16 | 37% |
| 1996 | 47 | 21 | 45% |
| 1997 | 43 | 11 | 26% |
| 1998 | 24 | 6 | 25% |
| 1999 | 16 | # | # |
| 2000 | 41 | 5 | 12% |
| 2001 | 25 | 5 | 20% |
| 2002 | 18 | # | # |
| 2003 | 22 | 0 | 0% |
| 2004 | 8 | 0 | 0% |
| ----- | ----- | ----- | ----- |
| Total | 722 | 356 | 49% |